



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Feb. 17, 1912—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants.</i>														
Ann Arbor, Mich.	14,817	8					3							
Beaver Falls, Pa.	12,191		1								1		3	
Bennington, Vt.		4												
Braddock, Pa.	19,957	6					4							
Butler, Pa.	20,782	13												
Cambridge, Ohio.	11,327	6									1			
Camden, S. C.		1												
Carbondale, Pa.	17,040	5												
Clinton, Mass.	13,075	2									1			
Coffeyville, Kans.	12,687												1	
Columbus, Ga.	20,544	7										1		
Concord, N. H.	21,497	6			3									
Cumberland, Md.	21,839	9	2		1						8		2	
Dunkirk, N. Y.		7												
Galesburg, Ill.	22,089	2												
Gloucester, Mass.	24,398	8		1										
Harrison, N. J.	14,498	4												
Kearny, N. J.	18,659	5			10		1							
La Fayette, Ind.	20,081	9			1	1								1
Lebanon, Pa.	19,240										1			
Logansport, Ind.	19,050	3	1											
Manistee, Mich.							1							
Marlboro, Mass.	14,579	5	1				11						1	
Massillon, Ohio.		4					1							
Medford, Mass.	15,715	10	1		3		1					1		
Moline, Ill.	24,199	7										1		
Melrose, Mass.	15,715	4			15							1		
Montclair, N. J.	21,150	5					3				2			
Morristown, N. J.	12,507	2										1		
Nanticoke, Pa.	18,507	4	1		13						1			
Newburyport, Mass.	19,240	9									1			
North Adams, Mass.	22,012	7	2	1	1							1		
Northampton, Mass.	19,431	9									1	1		
Ottumwa, Iowa.	22,012	8					1				2	1		
Palmer, Mass.		1									1	1		
Peekskill, N. Y.		4												
Plainfield, N. J.	22,050	7	1		49		6					2		
Pottstown, Pa.		9			2		2							
Saratoga Spring, N. Y.		6												
South Bethlehem, Pa.	19,973	6			6	1					1			
Steelton, Pa.	14,246	5	3		1				1		3			
Warren, Pa.	11,081	1	1		1									
Wilksburg, Pa.	18,924	6					1				2	1		
Woburn, Mass.	15,308	6	1		18									

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

FLORIDA.—Reports from the State board of health show as follows: Week ended February 17, 1912. Diphtheria present in 6 localities with 15 cases, malaria in 2 localities with 5 cases, smallpox in 10 counties with 85 cases, tuberculosis in 7 counties with 12 cases, typhoid fever in 3 localities with 14 cases.

Week ended February 24, 1912. Diphtheria present in 5 localities with 10 cases, malaria in 3 localities with 16 cases, smallpox in 7 counties with 50 cases, tuberculosis in 5 localities with 5 cases, typhoid fever in 8 localities with 18 cases.

MICHIGAN.—Month of January, 1912. Reports from the State department of health show 311 cases of diphtheria, 69 of measles, 557 of scarlet fever, 267 of smallpox, 158 of tuberculosis, and 96 of typhoid fever.

TEXAS.—Month of November, 1911. Population, 3,896,542. Total number of deaths from all causes 2,336, including diphtheria 6, measles 4, scarlet fever 2, smallpox 24, tuberculosis 224, typhoid fever 93. Cases reported: Diphtheria 171, scarlet fever 102, smallpox 12, tuberculosis 53, typhoid fever 120.